

ACCESS PANEL – DTK-02




- Material** : Specially extruded aluminum profile.
- Description** : DTK-02 Type access door are designed for located where necessary for checking at air conditioning system..
- Properties** : They are used for all king of applications in air conditioning systems; air handling units etc to easy service. Two types are available as insulated .Single and double walled door panel .Frame's material is made of aluminum and door is aluminum sheet as standard .Galvanized or stainless steel door is optional.
- Surface Covering** : The air grilles are painted electrostatically whit colors of customer demand. Colored anodizing is also available upon request.

FRAME TYPES

ACCESS PANEL INNER-OUTER CASE SNAPPED MODEL	ACCESS PANEL OUTER CASE SNAPPED MODEL FOR SCREWED JOINT	ACCESS PANEL INNER CASE SNAPPED ANGLED MODEL

ACCESS OUTER CASE	ACCESS INNER CASE


If it interfere from access panel, it can be interfere easily.




W	100	150	200	250	300	350	400	450	500	550	600	650	700
H	100	150	200	250	300	350	400	450	500	550	600	650	700

It is possible to any combination of these sizes.

DTK-02 A- ACCESS PANEL ANGLED EDGE




DTK-02 B- ACCESS PANEL ANGLED EDGE



Access panel can be optionally mountable as a air grille.

DTK-02 C- ACCESS PANEL VERTICAL EDGE SCREWED JOINT



DTK-02 D- ACCESS PANEL VERTICAL EDGE

